

HANDY NORTH AMERICA H29E-A

TYPE	Glasswasher
LINE	HANDY NORTH AMERICA
BASKET	400x400 (14" x 14")
SIZE	470x535x710h (18"½W x 21"¾D x 38"H)



Functions and benefits without compromise, all with lower running costs and at a very reasonable price.

Ecoclean: Water control system for partial clean water refill in every wash cycle.

Stainless steel: Adjustable rotation speed rinse arms, integral tank filter, with detergent injector welded to the tank.

ETL Sanitation: Programmed to guarantee the perfect sanitation result at high rinse temperatures.

LCD controls: Simple digital control panel with digital temperature display for intuitive and user-friendly operation.

60 years of experience with evolving technology has produced the HANDY H29E-A. Thesis offers a professional wash system, designed and created to provide excellent cleaning, hygiene and brightness. The H29E-A is simple to use for heavy duty applications with low maintenance. It's your perfect solution for cleaning and sanitizing glasses, cups, mugs, cutlery and more. We guarantee an impeccable wash quality, which can meet even the needs of the most sophisticated customers.

High-quality products built using durable stainless steel with electromechanical components. The H29E-A is designed for energy savings with lower water and detergent consumption.

Technical features


- Control panel with LCD display
- ETL Sanitation to guarantee a powerful wash and sanitization with a high rinse temperature
- EWC System, electronic control with 4 individual programmable cycles
- Built in drain pump with Ecology Care system for partial refilling of clean water in every washing cycle
- Vacuum breaker valve
- Integral stainless steel tank filter + New filtering group for suction and drain
- Racks supplied: 1 dish basket, 1 glass basket, and 2 cutlery trays
- 1-year parts and labour warranty
- Adjustable 3L/hour detergent dispenser
- Adjustable 0.3L/hour rinse-aid dispenser
- 48 racks/hour or approximately 42 racks/hour in accordance with NSF standards

CERTIFIED



ON REQUEST





DISHWASHERS FEATURES

Dimensions - (mm) L - P - H	470x535x710h (18 ¹ / ₂ "W x 21 ⁷ / ₈ "D x 38"H)
n° baskets/hour - (+55°C)	Max 48
Height glass max	285mm
Ø height plate max	305mm
Tank heating element - Tank capacity	2,6kW - 17lt (4.5gal)
Boiler heating element - Boiler capacity	2,5kW - 3,2lt (0.9gal)
Washing pump	0,26kW / 0,35Hp (1/3HP)
Total power input / Current	2.79kW - 16A - 1PH
Standard input voltage	208/220V - 50/60Hz
Recommended inlet water temperature	+55°C - ½ GPC (2.6LPC) 125°F
Water hardness	7÷10 °f
Water consumption per cycle (inlet suggested pressure 2 BAR)	2,0lt
Adjustable detergent and rinse-aid dispenser	ELECTRIC
Packing	670x700x880h (26½"W x 22½"D x 34½"H) - 0,34 - 48kg (105lbs)

STANDARD EQUIPMENT

Saucer holder 12 pieces	1
Cutlery insert	1
Basket for glasses dim.400x400x150mm	2

OPTIONAL

Drain pump kit 32W with Ecoclean	●
Double wall for thermal and acoustic insulation +18mm	●
Inclined basket for wine glasses dim.400x400x170mm	●
Kit 4 Stainless steel feet 50-70mm	●

● Optional Installabile, ◻ Optional not installabile