



SERVING THE FOOD INDUSTRY SINCE 1951

## VINOVERO WINE COOLERS

ITEM: 47149	48258	48259	48260	48261
	48525	45258	45259	45260
			45261	45261



**48258**  
27"  
Dual Zone



**45258**  
27"  
Dual Zone



**48259**  
27"  
Single Zone



**45259**  
27"  
Single Zone



Premium Wine Coolers



**48260**  
23" Dual Zone



**45260**  
23" Dual Zone



**48261**  
23" Single Zone




**45261**  
23" Single Zone

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Authorized Dealer



SERVING THE FOOD INDUSTRY SINCE 1951

## VINOVERO WINE COOLERS

ITEM: 47149	48258	48259	48260	48261
48525	45258	45259	45260	45261



**47149**  
28" Dual Zone



**48525**  
25" Dual Zone




**48526**  
25" Dual Zone (Steel)

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com


Website: www.omcan.com




Authorized Dealer

## 25" Dual Zone Wine Cooler 126 Btl.

Item	48525/ 48526
Model	WC-CN-0126-DB/ WC-CN-0126-D
Door Type	Black Glass Door/ Steel
Zone	Dual Zones
Capacity	126 Bottles
Electricals	115 V / 60 Hz / 1
Power	161W/ 0.16kW
Inner Humidity	50-80%
Max Ambient Range	16 - 38 °C (60-100 °F)
Temperature Range	5 - 20 °C (41-68 °F)
Refrigerant	R600a
Net Weight	174.2 lbs. (79 kg.)
Gross Weight	185.2 lbs. (84 kg.)
Net Dimensions (WDH)	24.5 x 23.4 x 62.7 in. (623 x 595 x 1592 mm.)
Gross Dimensions (WDH)	27 x 25.8 x 65.2 in. (685x655x1655 mm.)






**48525**  
**25" Dual Zone**



*BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.*

## 28" Dual Zone Wine Cooler 290 Btl.

Item	47149
Model	WC-CN-0275-D
Door Type	Black Glass Door
Zone	Dual Zones
Capacity	290 Bottles
Electricals	115 V / 60 Hz / 1
Power	230W/ 0.23kW
Inner Humidity	60-70%
Max Ambient Range	16 - 38 °C (60-100 °F)
Temperature Range	5 - 20 °C (41-68 °F)
Refrigerant	R600a
Net Weight	317.5 lbs. ( 144 kg.)
Gross Weight	410 .1 lbs. ( 186 kg.)
Net Dimensions (WDH)	28.3 x 31.5 x 80.3 in. (720 x 800 x 2040 mm.)
Gross Dimensions (WDH)	34.6 x 37.8 x 89.6 in. (880 x 960 x 2277 mm.)



BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.

## TECHNICAL SPECIFICATIONS



Item no.	48258	45258	48259	45259
Model	WC-CN-0181-DB	WC-CN-0181-D	WC-CN-0192-SB	WC-CN-0192-S
Door Type	Black Glass Door	Stainless Steel Door	Black Glass Door	Stainless Steel Door
Zone	Dual Zones		Single Zone	
Capacity	181 Bottles		192 Bottles	
Electricals	115 V / 60 Hz / 1			
Power	160W/ 0.16kW			
Inner Humidity	40-60%			
Max Ambient Range	24 °C (75 °F)			
Temperature Range	3 - 22 °C ( 37.4-71.6 °F)			
Refrigerant	R600a			
Net Weight	224.7 lbs. (101.9 kg.)		228 lbs. ( 103.4 kg.)	
Gross Weight	237 lbs. (107.5 kg.)		240 lbs. (109 kg.)	
Net Dimensions (WDH)	26.6 x 23.4 x 73 in. (675 x 595 x 1854 mm.)			
Gross Dimensions (WDH)	30 x 26 x 76 in. (762 x 660 x 1930 mm.)			



*BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.*

## TECHNICAL DRAWINGS & DIMENSIONS

\*measurements in diagrams are in inch.



BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.

## TECHNICAL SPECIFICATIONS



Item no.	48260	45260	48261	45261
Model	WC-CN-0040-DB	WC-CN-0040-D	WC-CN-0051-SB	WC-CN-0051-S
Door Type	Black Glass Door	Stainless Steel Door	Black Glass Door	Stainless Steel Door
Zone	Dual Zones		Single Zone	
Capacity	40 Bottles		51 Bottles	
Electricals	115 V / 60 Hz / 1			
Power	103W/ 0.10kW			
Inner Humidity	40-60%			
Max Ambient Range	24 °C (75 °F)			
Temperature Range	3 - 22 °C ( 37.4-71.6 °F)			
Refrigerant	R600a			
Net Weight	98 lbs. (44.5 kg.)		100 lbs. ( 45.4 kg.)	
Gross Weight	110 lbs. (50 kg.)		107 lbs. (48.5 kg.)	
Net Dimensions (WDH)	23.4 x 22.8 x 32.3 in. ( 595 x 580 x 820 mm.)		22.6 x 23.4 x 32.3 in. ( 574 x 594 x 820 mm.)	
Gross Dimensions (WDH)	25.5 x 25.5 x 36 in. ( 648 x 648 x 914 mm.)		26 x 26 x 36 in. ( 660 x 660 x 914 mm.)	



*BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.*

## TECHNICAL DRAWINGS & DIMENSIONS

\*measurements in diagrams are in inch.



BMAD System (Low maintenance high performance). Dimensions rounded up to the nearest inch or millimeter. Specifications subject to change without notice.